



DURABLE
SINCE 1920

FOR YOUR
SAFETY

EN

DURABLE

Safe labelling – professional protection: Systematic occupational health and safety

Occupational health and safety in industrial companies is far more than just a compulsory exercise. Implementation is caught between legal requirements, operational reality and economic demands.

Clear, comprehensible and functional solutions are required to ensure that measures not only exist on paper but are effective in everyday working life.

With over 100 years of experience in the professional design of working environments, DURABLE offers a well-thought-out and practical range for implementing operational safety measures. This brochure contains a comprehensive selection of products for labelling, signage and the display of safety and behavioural instructions – developed for standard-compliant, economical and sustainable solutions in occupational health and safety.

Contents

04–05	DURAFRAME® SECURITY
06–07	DURAFRAME® self-adhesive and magnetic
08–09	Snap frames aluminium, Info pockets static cling
10–11	Floor stands, Water-resistant pockets
12–13	DURALINE® Floor marking tapes, Anti-slip tapes
14–15	Marking spray and accessories
16–17	Floor marking pedestrian walkway, Safety marks
18–19	Warning and Protection Profiles
20–21	Badge holders and fasteners
22	First Aid boxes



Unsafe



Safe

The professional way to display:

DURAFRAME® SECURITY

THE INFOFRAME

DURAFRAME® SECURITY

The self-adhesive infoframe for safety signs for displaying safety and warning information in production areas and offices.

- Eye-catching colours:
green/white: First aid, escape route maps;
red/white: Fire safety, danger;
yellow/black: Occupational safety, Warning or Hazard
- Twin coloured frame compliant with ISO 3864-4 for safety colours
- Applications are possible in both portrait and landscape format
- Self-adhesive or magnetic

FOR YOUR SAFETY

DURAFRAME® MAGNETIC SECURITY

- Quick, easy exchange of documents through magnetic frame
- Display documents on metallic surfaces in production areas and offices, such as staff whiteboards, metal cabinets, lean cubes, racking and machinery

Code	Colour	Format	Fastening	Packaging
4945-...	●130	A4	magnetic	5 per bag
4945-...	●131	A4	magnetic	5 per bag
4945-...	●132	A4	magnetic	5 per bag



DURAFRAME® SECURITY self-adhesive

- Quick insertion and easy exchange of documents via a fold-back magnetic frame
- Can be fixed on solid and smooth surfaces and can be removed from surfaces such as glass
- When applied to glass, information can be read from both sides
- Identical frame colour on both sides

Code	Colour	Format	Fastening	Packaging
4944-...	●130	A4	self-adhesive	2 per bag
4944-...	●131	A4	self-adhesive	2 per bag
4944-...	●132	A4	self-adhesive	2 per bag



DURAFRAME®

The Infoframe



The self-adhesive info frame for notices, instructions, signage, directions, help or advertisements.

- Quick insertion and easy exchange of documents via a fold-back magnetic frame
- Can be fixed on solid and smooth surfaces and can be removed from surfaces such as glass
- When applied to glass, information can be read from both sides

Code	Colour	Format	Fastening	Packaging
4872-...	●01 ●03 ●04 ●05 ●07 ●23	A4	self-adhesive	2 per bag
4882-...	●01 ●07 ●23	A4	self-adhesive	10 per pack
4873-...	●01 ●03 ●05 ●07 ●23	A3	self-adhesive	2 per bag
4883-...	●01 ●07 ●23	A3	self-adhesive	6 per pack

Anti glare plastic

Available in different colours

Magnetic closure

Identical frame colour on both sides

Transparent adhesive strips on the long sides

**PVC
FREE**



DURAFRAME® MAGNETIC

The magnetic Infolightboard

Direct labelling with DURAFRAME® NOTE

Self-adhesive or magnetic.

For cleaning rotas in washrooms, event registration forms or for collecting and documenting information, working procedures and services such as maintenance or safety checks.



Code	Colour	Format	Fastening	Packaging
4993-...	●01 ●23	A4	self-adhesive	1 piece
4989-...	●01 ●23	A4	magnetic	1 piece



The magnetic infolightboard to display documents on metallic surfaces in production areas and offices, such as staff whiteboards, metal cabinets, lean cubes, racking and machinery.

- Quick, easy exchange of documents through magnetic frame
- Attaches to metallic surfaces
- Repositionable and reusable
- Anti glare plastic

Code	Colour	Format	Fastening	Packaging
4869-...	●01 ●03 ●04 ●05 ●07 ●09 ●23	A4	magnetic	5 per bag
4988-...	●01 ●23	A4	magnetic	1 per bag
4868-...	●01 ●03 ●07 ●23	A3	magnetic	5 per bag

**PVC
FREE**

→ Visit durable.eu to view the entire range



ALUMINIUM SNAP FRAMES

Information sturdily framed



SNAP FRAME ALUMINIUM

- Robust aluminium snap frame
- Quick and easy motif change due to proven folding technique
- Low-reflection, UV-resistant protective cover
- Impact-resistant polystyrene back panel
- Mitred corners
- Concealed wall mounting holes for screwing on or hanging or permanent attachment with self-adhesive strips supplied
- Attachment options for use in portrait and landscape format
- Incl. mounting material consisting of screws, dowels and four self-adhesive strips



Code	Colour	Format	Packaging
4795-...	●01 ●23	A5	1 piece
4796-...	●01 ●23	A4	1 piece
4797-...	●01 ●23	A3	1 piece



Simply adheres without aids



INFO POCKET STATIC CLING

- Display information on interior flat and curved glass surfaces such as car windows
- For documents in A4 or A3 format such as offers and price lists
- Static-cling adhesion (no glue)
- Heat-resistant and shape retaining up to 70°C
- UV-stabilised for up to 2 years
- Residue-free removal for long-term reuse
- Documents can be easily replaced via the insert aid at the back

Code	Colour	Format	Packaging
5014-...	●57	A4	5 per bag
5022-...	●57	A3	5 per bag



SNAP FRAME ALUMINIUM

- Robust aluminium snap frame in poster formats

Code	Colour	Format	Packaging
5008-...	●23	A2	1 piece
5009-...	●23	A1	1 piece



FLOOR INFOSTAND WITH ALUMINIUM SNAP FRAME

- Height adjustable with telescopic rod
- Folding frame can be easily rotated from portrait to landscape format
- Reading angle adjustable by ball-and-socket joint

Code	Colour	Format	Packaging
4798-...	●23	A4	1 piece
4799-...	●23	A3	1 piece



FLOOR STAND INFO STAND BASIC

- Featuring double-side readability. Suitable for both displaying information and for use as an orientation and guidance system
- Information can be easily changed thanks to the two magnetic DURAFRAME® MAGNETIC info-frames, which are attached to the metal plates
- High degree of stability thanks to the high-quality support profile and the heavy floor plate, with four rubber feet
- Innovative insertion mechanism makes it easy to switch between portrait and landscape format without the need for tools
- Ideal for use as an information stand in reception areas, at trade fairs, in lobbies and in waiting rooms
- DURAFRAME® MAGNETIC frame sold separate in various colours
- Including assembly set and instructions

Code	Colour	Format	Packaging
5012-...	●23	A4	1 piece
5013-...	●23	A3	1 piece



FLOOR STANDS

Safely positioned

FLOOR STAND INFO STAND OUTDOOR

- Suitable for both indoor and outdoor use for presenting information and as an orientation and signposting system
- Waterproof press stud closure for very good document protection particularly in rain, highly humid spaces and areas that are wet and dirty
- Poster pocket is IPX5 standard tested (protection against water jets from all directions)
- Transparent, UV-stabilised, water-resistant, scratch-proof film with anti-glare effect
- Easy attachment of the poster pocket to both sides of the metal board holder thanks to 2 magnetic strips with high adhesive force on the back of the pocket (adhesive force 0.95N/cm² per magnetic strip)
- High stability thanks to a large corrosion-resistant stand profile which can be additionally weighted down with standard sand or water bags
- Innovative insertion mechanism makes it easy to switch between portrait and landscape format without the need for tools
- Including assembly set and instructions

Code	Colour	Format	Packaging
5020-...	●23	A4	1 piece
5029-...	●23	A3	1 piece





Whether on the sports field, on the building site or in the garden centre: In some places, information notices need to be particularly protected from environmental influences. The waterproof document sleeves are not only tested to IPX5 standard (protection against water jets), but also ensure lasting legibility thanks to the UV-stabilised film with anti-reflective effect. The zipper technology with press fastener ensures a secure seal and quick replacement of the inserts.

Thanks to the three different types of attachment - cable ties, magnetic or self-adhesive - the poster pockets can be flexibly attached to fences, transport crates, mesh boxes, pallets, magnetic surfaces, smooth walls or doors.

They are therefore perfect for posters in portrait or landscape format in damp indoor and outdoor areas.

WATER-RESISTANT POCKETS

Inform. Always and everywhere.



WATER-RESISTANT POCKETS

- Waterproof press stud closure for very good document protection particularly in rain, highly humid spaces and areas that are wet and dirty
- The display pockets can be attached by using enclosed cable ties, self-adhesive pads or via two highly adhesive magnetic strips
- Compliant with standard IPX5 (protection against spray from all directions)
- Transparent, UV-stabilised, water-resistant, scratch-proof film with anti-glare effect
- For portrait and landscape formats
- Documents can be replaced quickly and easily
- Holds two 160 g/qm posters (included)

Code	Colour	Format	Attachment	Packaging
5028-...	19	A3	cable ties	5 per bag
5027-...	19	A4	cable ties	5 per bag
5059-...	19	A5	cable ties	5 per bag
5017-...	19	A3	self-adhesive	5 per bag
5016-...	19	A4	self-adhesive	5 per bag
5057-...	19	A5	self-adhesive	5 per bag
5019-...	19	A3	magnetic	5 per bag
5018-...	19	A4	magnetic	5 per bag
5058-...	19	A5	magnetic	5 per bag



**FOR YOUR
SAFETY**

Floor marking tapes DURALINE®

- Self-adhesive floor-marking tapes for indoor use
- For the robust and long-term marking of walkways and driveways in warehouses and factories
- Suitable for forklifts, with the exception of steering, braking and turning movements
- Colours similar to
RAL 9003 signal white, RAL 3001 signal red,
RAL 1003 signal yellow, RAL 6032 signal green,
RAL 5005 signal blue and
RAL 1003/9004 signal yellow/signal black,
RAL 3001/9003 signal red / signal white,
RAL 6032/9003 signal green/signal white

MARKING TAPES

Ideal marking



FLOOR MARKING TAPE DURALINE® 50/05

- In accordance with ASR A1.5/1.2 "Floors" to DIN 51130; slip resistance (R group) R9
- Format (W × H × L): 50 mm × 0,5 mm × 30 m

Code	Colour	Packaging
1021-...	002 003 004 005 006	1 piece



FLOOR MARKING TAPE DURALINE® 50/07

- In accordance with ASR A1.5/1.2 "Floors" to DIN 51130; slip resistance (R group) R9
- Format (W × H × L): 50 mm × 0,7 mm × 30 m

Code	Colour	Packaging
1726-...	0130 0131 0132	1 piece



FLOOR MARKING TAPE DURALINE® STRONG 50/12

- Abrasion resistant and hard-wearing due to extruded material with a thickness of 1.2 mm
- Strong adhesion due to chamfered edges
- In accordance with ASR A1.5/1.2 "Floors" to DIN 51130; slip resistance (R group) R10
- Format (W × H × L): 50 mm × 1.2 mm × 30 m

Code	Colour	Packaging
1725-...	002 003 004 005 006	1 piece



FLOOR MARKING TAPE DURALINE® 50/05 REMOVABLE

- Compliant with ASR A1.3 and ISO 7010
- In accordance with German workplace ordinance ASR A1.5/1.2 "Floors" according to DIN 51130; slip resistance (R Group) R9
- Format (W × H × L): 50 mm × 0,5 mm × 15 m

Code	Colour	Packaging
1043-...	0130	1 piece

Removable
without
residue



MARKING TAPE DURALINE® BASIC 50/016

- Self-adhesive marking tape for indoor use
- Suitable for temporary identification and marking of stationary or mobile objects and surfaces
- The use of rubber adhesive makes the soft PVC tape very adaptable
- Easy to apply and remove
- Format (W × H × L): 50 mm × 0,16 mm × 33 m

Code	Colour	Packaging
1044-...	002 003 004 005 006 0130	1 piece

ANTI-SLIP TAPES

- The anti-slip coating helps to make paths and steps more secure
- Areas of application include steps, ramp, industrial flooring and pathways used by people and vehicles
- Suitable for use indoors or in protected outdoor areas
- In accordance with ASR A1.5 / 1.2 "Floors" to DIN 51130 Slip resistance (R group) R13



ANTI-SLIP TAPES DURALINE® GRIP

- Self-adhesive standard anti-slip tape for more safety on pathways
- Format (W x H x L): 25/50/75 mm x 0.7 mm x 15 m

Code	Colour	Product	Width	Packaging
1080-...	●01	DURALINE® GRIP 25 mm	25 mm	1 piece
1081-...	●130	DURALINE® GRIP 25 mm COLOR	25 mm	1 piece
1082-...	●01	DURALINE® GRIP 50 mm	50 mm	1 piece
1083-...	●130	DURALINE® GRIP 50 mm COLOR	50 mm	1 piece
1084-...	●01	DURALINE® GRIP 75 mm	75 mm	1 piece
1085-...	●130	DURALINE® GRIP 75 mm COLOR	75 mm	1 piece



TIP

Areas with high footfall
need extreme
slip resistance.

ANTI-SLIP TAPES DURALINE® GRIP+

- Rough, self-adhesive anti-slip tape for enhanced safety on pathways or industrial flooring
- The rough granulated layer provides long-term, anti-slip protection even in areas that are subject to high levels of dirt and traffic
- Format (W x H x L): 25/50 mm x 0.7 mm x 15 m

Code	Colour	Product	Width	Packaging
1094-...	●01	DURALINE® GRIP+ 25 mm	25 mm	1 piece
1095-...	●130	DURALINE® GRIP+ 25 mm COLOR	25 mm	1 piece
1096-...	●01	DURALINE® GRIP+ 50 mm	50 mm	1 piece
1097-...	●130	DURALINE® GRIP+ 50 mm COLOR	50 mm	1 piece



ANTI-SLIP TAPE DURALINE® GRIP+ FORMFIT 50 mm

- Self-adhesive malleable anti-slip tape for improved safety on pathways
- The malleable aluminium tape adapts to unevenness and is particularly suitable for areas made from checker plate
- In accordance with ASR A1.5/1.2 "Floors" to DIN 51130 Slip resistance (R group) R13
- Format (W x H x L): 50 mm x 1.12 mm x 15 m

Code	Colour	Product	Width	Packaging
1064-...	●01	DURALINE® GRIP+ FORMFIT 50 mm	50 mm	1 piece



Adapts to the surface



FLOOR MARKING SPRAY

Fast. Precise.
Individualised.

For various surfaces



Wood

Epoxy resin

Concrete/Stone

Metal

Floor marking spray DURALINE® 750

- Permanent floor marking spray for indoor and outdoor use
- Marking spray for demarcating areas and optimizing traffic routes in factories, warehouses, production facilities and parking lots etc.
- Suitable for forklifts
- The surface to be sprayed must be free of dust, grease and other contaminants
- Optimum application in a temperature range between +5°C and +40°C
- Range approx. 100 m per spray can, depending on the width of the line, the thickness of the application and the condition of the floor
- Colors similar to RAL 9003 signal white, 3001 signal red, 1003 signal yellow


Code	Colour	Packaging
1140-...	002 ●03 ●04	1 piece



Marking trolley DURALINE® EASYTRACK

- Marking trolley for quick and precise application of labelling lines
- Use for markings in warehouses, production facilities or car parks
- Stepless line width adjustment from 4 – 10 cm
- Two cans can be used simultaneously for better colour coverage
- Height-adjustable handle bar for left- and right-handed users
- Storage of up to 5 cans possible
- Suitable for 750 ml cans
- Dimensions without handle:
380 × 350 × 440 mm (W × H × D)

Code	Colour	Packaging
1141-...	●01	1 piece



Marking wand DURALINE® EASYTRACK S

- Marking wand for the precise application of marking paint
- Ergonomic and comfortable to use
- Rubberized wheel for smooth guidance
- Suitable for 750 ml cans
- Line width 60 mm
- Dimensions: 80 × 1000 × 200 mm (W × H × D)

Code	Colour	Packaging
1142-...	●10	1 piece



Marking gun DURALINE® EASYMOVER

- Lightweight plastic marking gun
- Ideal for stencil marking or for spraying smaller areas
- Suitable for 750 ml cans
- Dimensions: 80 × 260 × 260 mm (W × H × D)

Code	Colour	Packaging
1143-...	●10	1 piece



**FOR YOUR
SAFETY**

PEDESTRIAN WALKWAY

Safe from A to B

Also available
as single
replacement
strips


FLOOR MARKING

PEDESTRIAN WALKWAY 200/05

- Self-adhesive floor marking as an indoor pedestrian walkway
- Provides safety for pedestrians crossing traffic routes
- Slip resistance (R Group) R9 in accordance with German workplace ordinance ASR A1.5 / 1,2 'Floors' per DIN 51130
- Suitable for forklifts, with the exception of steering, braking and turning movements
- Installation on dry, clean, dust- and grease-free substrates
- Colour similar to RAL 1003 signal yellow
- Dimensions: 200 × 1,200 mm
- Thickness: 0.5 mm

Code	Colour	Packaging
1810-...	● 04	5 per pack
1811-...	● 04	1 piece

Proposal for positioning



SAFETY MARKINGS

No words needed



SAFETY MARKINGS PERMANENT

- Registered, permanent, self-adhesive warning sign for marking dangerous areas, parking / storage spaces, walkways etc.
- Abrasion-resistant and hard-wearing
- Compliant with ASR A1.3 and DIN EN ISO 7010
- In accordance with ASR A1.5/1.2 "Floors" to DIN 51130 Slip resistance (R group) R9
- Self-adhesive safety markings for application on floors in interior areas, such as warehouses, distribution centres, production, etc.
- The surface to be covered must be smooth, load-bearing, clean and free of grease and dust


Code	Colour	Description	Packaging
1728-...	●03	Safety markings "Smoking prohibited" P002 according to ISO 7010, Format: Ø 430 mm, thickness: 0.4 mm	1 piece
1730-...	●03	Safety markings "Entry prohibited" D-P006 according to DIN 4844-2, Format: Ø 430 mm, thickness: 0.4 mm	1 piece
1732-...	●03	Safety markings "Pedestrians prohibited" P004 according to ISO 7010, Format: Ø 430 mm, thickness: 0.4 mm	1 piece
1729-...	●06	Safety markings "Use ear protection" M003 according to ISO 7010, Format: Ø 430 mm, thickness: 0.4 mm	1 piece
1731-...	●06	Safety markings "Use walkway" M024 according to ISO 7010, Format: Ø 430 mm, thickness: 0.4 mm	1 piece
1733-...	●06	Safety markings "Use foot protection" M008 according to ISO 7010, Format: Ø 430 mm, thickness: 0.4 mm	1 piece
1735-...	●06	Safety markings "Use safety vest" M015 according to ISO 7010, Format: Ø 430 mm, thickness: 0.4 mm	1 piece
1734-...	●04	Safety markings "Caution! Forklifts" W014 according to ISO 7010, Format: 430 mm x 378 mm (= edge length 430 mm), thickness: 0.4 mm	1 piece





WARNING AND PROTECTION PROFILES


- Flexible protection profiles made of polyurethane foam
- Ideal for use in production facilities, dispatch and warehouses, basements, stairways, garages, on walls and beams, shelves and cupboards as well as on machines, storage trolleys, etc.
- For indoor applications
- Mark hazard zones, protect surfaces and walls, and mitigate impact injuries
- Profiles can be shortened to the desired length using a sharp knife
- Colour similar to RAL 1004 / 9003 (signal yellow / signal black)
- Fire tested according to DIN EN 13501-1 class E
- Temperature resistant from -30 °C to +70 °C
- Profile length: 1 m



SURFACE PROTECTION PROFILES

Code	Colour	Description	Packaging
1 1107-...	130	Surface protection profile S10 Self-adhesive, flexible surface protection profile - Adhesive surface: 40 mm	5 per box
2 1108-...	130	Surface protection profile S20 Self-adhesive, flexible surface protection profile - Adhesive surface: 60 mm	5 per box
3 1109-...	130	Surface protection profile S32R Self-adhesive, flexible surface protection profile - Adhesive surface: 32 mm	5 per box






CORNER PROTECTION PROFILES

Code	Colour	Description	Packaging
Self-adhesive			
1 1100-...	130	Corner protection profile C25R Self-adhesive, flexible corner protection profile. Adhesive surface: 25 mm on each side	5 per box
2 1101-...	130	Corner protection profile C20 Self-adhesive, flexible corner protection profile. Adhesive surface: 20 mm on each side	5 per box
3 1102-...	130	Corner protection profile C35 Self-adhesive, flexible corner protection profile. Adhesive surface: 35 mm on each side	5 per box
Magnetic			
4 1110-...	130	Corner protection profile C25R magnetic Magnetic flexible corner protection profile. Inner surface: 25 mm on each side	5 per box
5 1111-...	130	Corner protection profile C20 magnetic Magnetic flexible corner protection profile. Inner surface: 20 mm on each side	5 per box
6 1112-...	130	Corner protection profile C35 magnetic Magnetic flexible corner protection profile. Inner surface: 35 mm on each side	5 per box



TIP

A magnetic version of our corner protection profiles is now available



EDGE PROTECTION PROFILES

Code	Colour	Description	Packaging
For plugging on			
7 1126-...	130	Edge protection profile E8R Flexible edge protection profile. Wide opening: 8 mm	5 per box
Self-adhesive			
8 1127-...	130	Edge protection profile E8 Self-adhesive, flexible edge protection profile. Wide opening: 8 mm	5 per box



PIPE PROTECTION PROFILE

Code	Colour	Description	Packaging
9 1115-...	130	Pipe protection profile Self-adhesive, flexible pipe protection profile Interior diameter: 30 mm	5 per box



BADGE HOLDERS

Well protected and always at hand



ID card holder HARTBOX

- ID holder in closed design for 1 or 2 ID cards/security passes
- Crystal-clear material for optimal readability and easy scanning of barcodes
- With thumb hole for easy removal of the card
- May be combined with chain, textile lanyard or a badge reel
- Card holder can be used either in portrait or landscape format
- Internal dimensions: 54 × 87 mm (H × W)

Code	Colour	Version	Packaging
without clip fastener			
8905-...	19	for 1 card	10 per pack
8924-...	19	for 2 cards	10 per pack
with rotating clip fastener			
8005-...	19	for 1 card	25 per pack
8013-...	19	for 2 cards	25 per pack



ID card holder reXycle®

- ID card holder made from 70 % recycled polypropylene for 1 or 2 cards
- Timeless design with reduced use of materials
- Side recess for easy card removal
- Can be combined with chain, badge reel or a textile lanyard
- Card holder can be used either in portrait or landscape format
- Internal dimensions: 54 × 85 mm (H × W)

Code	Colour	Version	Packaging
8951-...	19	for 1 card	10 per pack
8952-...	19	for 2 cards	10 per pack



ID card cover OUTDOOR SECURE arm band

- Attached to arm for optimal visibility, particularly for activities on machinery, production lines, etc., where conventional textile lanyards can easily become caught or trapped
- UV stabilised, waterproof, withstands temperatures to -20°C
- Suitable for both indoor and outdoor use
- Strap for securing to arm adjustable for 7–18 cm in diameter
- Internal dimensions: 54 × 90 mm (H × W)

Code	Colour	Version	Packaging
8414-...	19	for 1 card	10 per pack

Name badge 60×90 mm with Euro perforation

- Closed name badge cover to protect the insert
- Made from polypropylene
- With clip cut-out for combination with chain, clip, textile lanyard or badge reel
- Internal dimensions: 60 × 90 mm (H × W)

Code	Colour	Version	Packaging
8251-...	19	for 1 name badge	20 per pack



Badge reel STYLE

- Oval-shaped badge reel with snap button strap for attaching name badges, ID cards, etc.
- With metal clip fastening mechanism
- Badge reel lanyard length: 80 cm

Code	Colour	Version	Packaging
8324-...	●01 ○02	with snap button strap	10 per pack
	●07 ●10		



Badge reel with snap button strap

- Badge reel with snap button strap for attaching name badges, ID cards, etc.
- With metal clip fastening mechanism on reverse
- Badge reel lanyard length: 80 cm

Code	Colour	Version	Packaging
8152-...	●58	with snap button strap	10 per pack



Retractable reel EXTRA STRONG

- Extra-strong badge reel for heavy card holders and keys
- Magnet keeps badge reel neatly rolled up to a max. weight of 300 g
- With metal clip fastening mechanism
- With small keyring and snap button strap
- Tear-resistant badge reel cord, length: 60 cm

Code	Colour	Version	Packaging
8329-...	●01 ○02	With small keyring and snap button strap	1 piece
	●07 ●10		



Textile lanyard 20 reflective

- Textile lanyard in bright safety colour with a wide, reflective surface
- With secure closure that opens if pulled too strongly
- Premium textile quality
- Removable keyring with snap hook
- Suitable for all DURABLE card holders
- Band dimensions: 53 x 2 cm (L x W)

Code	Colour	Version	Packaging
8692-...	●09	with snap hook	1 piece



**FOR YOUR
SAFETY**

FIRST AID BOXES

If something should happen ...

Alu



FIRST AID BOX

- Aluminium first aid boxes (supplied empty)
- With fold-out inner compartments
- For DIN 13164/13157-compliant first aid box fillings
- With index sheet for clear listing of contents and noting of emergency telephone numbers
- Incl. sticker with first aid cross in green-white, cylinder lock with two keys and mounting kit

Code	Colour	Version	Packaging
1970-...	●23	With 2 fold-out inner compartments. For DIN 13164-compliant first aid box fillings (for private use)	1 piece
1973-...	●23	With 3 fold-out inner compartments. For DIN 13157-compliant first aid box fillings (for administrative and commercial enterprises, manufacturing and processing plants or building sites)	1 piece



TIP

Fillings for both first aid boxes are available separately. (#1972-00 or #1975-00)



DURABLE · Hunke & Jochheim GmbH & Co. KG
Westfalenstraße 77-79 · 58636 Iserlohn
Postfach 1753 · 58634 Iserlohn
T +49 (0)23 71 662-0
durable@ durable.de · durable.de

INTERNATIONAL

DURABLE · Hunke & Jochheim GmbH & Co. KG
Westfalenstraße 77-79 · 58636 Iserlohn
P.O. Box 1753 · 58634 Iserlohn · Germany
P +49 (0)23 71 662-0
durable@ durable.de · durable.eu

BE

DURABLE Belgium N.V./S.A.
Industriepark 14/101 · 9031 Gent-Drongen
T +32 (0)9 281 26 44
durable@ durable.be · durable.be

CZ

DURABLE · Hunke & Jochheim GmbH & Co. KG
Westfalenstraße 77-79 · 58636 Iserlohn
P.O. Box 1753 · 58634 Iserlohn · Germany
T +420 770 197 599
durablecz@ durable.de · durable.cz

DK

DURABLE DENMARK
Branch of **DURABLE SCANDINAVIA AB**
Kovangen 302 · 3480 Fredensborg
T +45 (0)78 76 90 20
ordre@ durable.dk · durable.dk

ES

DURABLE · Hunke & Jochheim GmbH & Co. KG
Westfalenstraße 77-79 · 58636 Iserlohn
P.O. Box 1753 · 58634 Iserlohn · Germany
T +34 699 822 086
informacion@ durable.de · durable.com.es

FR

DURABLE France S.A.S
Immeuble Le Tryalis · 9, rue de Rosny · 93100 Montreuil
T +33 (0)1 48 12 10 90
durable@ durable.fr · durable.fr

IT

DURABLE Italia S.R.L.
Via Dottor Pietro Greppi, 15/B
23824 Dervio (LC)
T +39 (0)341 807 806
info@ durable.it · durable.it

NL

DURABLE Nederland B.V.
Monierweg 3 · 7741 KV Coevorden
T +31 (0)416 543 543
durable@ durable.nl · durable.nl

PL

Biuro Obsługi Klienta DURABLE Polska
Al.Kasztanowa 10 · 72-005 Przecław
T +48 (0)91 432 40 70
bok@ durable.pl · durable.pl

SE

DURABLE SCANDINAVIA AB
Fågelsångsvägen 4B · 186 42 Vallentuna
Box 4 · 186 21 Vallentuna
T +46 (0)8-630 11 50
info@ durable.se · durable.se

UK

DURABLE (UK) Ltd.
10 Nimrod Way, Wimborne, Dorset, BH21 7SH
P +44 (0)1202 89 70 71
customeroperations@ durable-uk.com
durable-uk.com

US

DURABLE Office Products Corp.
10 N. Martingale Rd. · Schaumburg, IL 60173
P +1 (0)800 273 31 18/847 787 01 00
customerservice@ durableofficeproducts.com
durable-north-america.com

